

(9) Notwithstanding any provisions of the 2000 edition of the Life Safety Code to the contrary, a hospital may install alcohol-based hand rub dispensers in its facility if—

(i) Use of alcohol-based hand rub dispensers does not conflict with any State or local codes that prohibit or otherwise restrict the placement of alcohol-based hand rub dispensers in health care facilities;

(ii) The dispensers are installed in a manner that minimizes leaks and spills that could lead to falls;

(iii) The dispensers are installed in a manner that adequately protects against inappropriate access;

(iv) The dispensers are installed in accordance with chapter 18.3.2.7 or chapter 19.3.2.7 of the 2000 edition of the Life Safety Code, as amended by NFPA Temporary Interim Amendment 00-1(101), issued by the Standards Council of the National Fire Protection Association on April 15, 2004. The Director of the Office of the Federal Register has approved NFPA Temporary Interim Amendment 00-1(101) for incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. A copy of the amendment is available for inspection at the CMS Information Resource Center, 7500 Security Boulevard, Baltimore, MD and at the Office of the Federal Register, 800 North Capitol Street NW., Suite 700, Washington, DC. Copies may be obtained from the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269; and

(v) The dispensers are maintained in accordance with dispenser manufacturer guidelines.

(c) *Standard: Facilities.* The hospital must maintain adequate facilities for its services.

(1) Diagnostic and therapeutic facilities must be located for the safety of patients.

(2) Facilities, supplies, and equipment must be maintained to ensure an acceptable level of safety and quality.

(3) The extent and complexity of facilities must be determined by the services offered.

(4) There must be proper ventilation, light, and temperature controls in

pharmaceutical, food preparation, and other appropriate areas.

[51 FR 22042, June 17, 1986, as amended at 53 FR 11509, Apr. 7, 1988; 68 FR 1386, Jan. 10, 2003; 69 FR 49267, Aug. 11, 2004; 70 FR 15238, Mar. 25, 2005; 71 FR 55340, Sept. 22, 2006]

#### § 482.42 Condition of participation: Infection control.

The hospital must provide a sanitary environment to avoid sources and transmission of infections and communicable diseases. There must be an active program for the prevention, control, and investigation of infections and communicable diseases.

(a) *Standard: Organization and policies.* A person or persons must be designated as infection control officer or officers to develop and implement policies governing control of infections and communicable diseases. The infection control officer or officers must develop a system for identifying, reporting, investigating, and controlling infections and communicable diseases of patients and personnel.

(b) *Standard: Responsibilities of chief executive officer, medical staff, and director of nursing services.* The chief executive officer, the medical staff, and the director of nursing services must—

(1) Ensure that the hospital-wide quality assessment and performance improvement (QAPI) program and training programs address problems identified by the infection control officer or officers; and

(2) Be responsible for the implementation of successful corrective action plans in affected problem areas.

[51 FR 22042, June 17, 1986, as amended at 77 FR 29075, May 16, 2012; 79 FR 10396, Feb. 25, 2014]

#### § 482.43 Condition of participation: Discharge planning.

The hospital must have in effect a discharge planning process that applies to all patients. The hospital's policies and procedures must be specified in writing.

(a) *Standard: Identification of patients in need of discharge planning.* The hospital must identify at an early stage of hospitalization all patients who are likely to suffer adverse health consequences upon discharge if there is no adequate discharge planning.